

MILCU, St.-M., acad.; ESANU, C.; MITRACHE, Ludmila; DINULESCU, Elena;  
GRIGORESCU, A.

Pathology of lipid metabolism in obese patients. Stud. cercet.  
endocr. 16 no.3:270-277 '65.

ESAKIYA, E. M.

"The study by students of the elements of agriculture in the botany course."  
Min Education Azerbaydzhan SSR. Azerbaydzhan State Pedagogical Inst imeni  
V. I. Lenin. Baku, 1956. (DISSERTATION For the Degree of Candidate in  
PEDAGOGICAL SCIENCE.)

Knizhnaya letopis'  
No 33, 1956, Moscow

CA ESANU, F.

27

The solubility of vegetable oils in furfuryl alcohol. The critical solution temperatures of a few oil-furfuryl systems. E. Angelescu and F. Esanu (Univ. Bucharest, Romania). *Acad. Rep. Populare Romane, Bul. Stint., Ser. Mat., Fiz., Chim.* 2, 387-97 (1970) (French summary). — A few reciprocal soly. curves of furfuryl alc. and vegetable oils were studied by detg. their crit. soln. temps. Soly. tables for the following oils are given: colza (rape), cucurbit, sunflower, tolueno, soybean, poppy, walnut, hempseed, linseed, and olive. Gerhard Aufleger

RUMANIA / Chemical Technology. Cellulose and Its  
Derivatives. Paper.

H-33

Abs Jour: Ref Zhur-Khimiya, No 14, 1959, 52016.

Author : Esanu, F.

Inst : ~~Not~~ given.

Title : Paper Casting.

Orig Pub: Celul. si hirtie, 1958, 7, No 11, 445-449.

Abstract: Presented are methods of paper casting and described is an apparatus built at the First of May Paper Factory, that manufactures special boxes for packaging eggs.

Card 1/1

H-199

ESANU, F.

Manufacture of some varieties of packaging anticorrosive paper. p. 263.

CHELOZA SI MURTEA. (Asociatia Stiintifica a Inginerilor si Tehnicienilor din Romania si Ministerul Industrii Petrolului si Chimic) Bucuresti, Romania. Vol. 8, no. 8, Aug. 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no. 2, Feb. 1960.

Encl.

ESANU, F.

Corrugated paperboard, and its use as packaging material. p.328

CELULOZA SI HIRTIE. (Asociatia Stiintifica a Inginerilor si Technicienilor din Rominia si Ministerul Industriei Petrolului si Chimie) Bucuresti, Romania Vol. 8, no. 10, Oct. 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no.2, Feb. 1960

Uncl.

ESANU, F., ing.; POPESCU, C., biolog; PETREA, G., ing.; HERSCU, O., chim.

Some contributions on the use of straw as raw material in  
the paper industry. Cel hirtie 10 no. 7/8: 249-258 JI-Ag'61

POPESCU, G., biolog, laureata a Premiului de Stat; ESANU, F., ing.;  
ANDRUCHOVICI, F., ing.; LAZAR, V., biolog; SAVULESCU, Alice,  
prof. dr.

Combating the microorganisms in moist straw cellulose. Cel  
hirtie 11 no.4:141-150 Ap '62.

1. Institutul de Cercetari si Proiectari pentru Hirtie, Celu-  
loza si Stuf (for Andruhovici). 2. Institutul de biologie  
"Traian Savulescu" (for Lazar). 3. Membru al Academiei R.P.R.  
(for Savulescu).



ESANU, F., ing.; KONERTH, H., ing.; ANDRUCHOVICI, F., ing.; FISCHGOLD, S.  
ing.; POPESCU, G., biolog.; ANTON, I., ing.; POPOVICI, M. ing.;  
HOTOPELEANU, A., ing.; REICHMANN, E., ing.; CONSTANTINESCU, O.,  
ing.

Studies on how to obtain an alkaline pulp (sulfate and natron)  
from straw by continuous digesting in a Pandia type installa-  
tion. Cel. hirtie 11 no. 6: 205-219 Je '62

WOLFSHAUT, C.; IOANITIU, D.; ESANU, C.; STOICA, T.; ALBU, N.; BUNEA, M.;  
ISTRATE, F.

Melanoderma with primary hypercorticotropism. Stud. cercet.  
endocr. 15 no.4:351-355 '64.

ESANU, G.; BANK, S.

Nonspecific heterologous serum as a blood substitute.  
Rev. igiena microb. epidem., Bucur. 1:63-77 Jan-Mar 55.

1. Institutul Dr. I. Cantacuzino si Catedra de microbiologie  
I. P. S. M. F.

(BLOOD TRANSFUSION, experimental  
heterologous nonspecific sera, causing shock & death,  
in guinea pigs.

(FORMALDEHYDE, eff.  
formol, on tox. of nonspecific heterologous sera for  
guinea pigs, relation to blood transfusion shock.

(ALLERGY  
anaphylactic shock caused by heterologous nonspecific  
sera in transfusion, in guinea pigs.

*Excerpt*  
WEINBACH, R.; ESANU, G.

Study of an X antigen complex from rhinopharyngeal exudate by means of an antigen-antibody reaction supported by erythrocytes (passive hemagglutination reaction of the Cantacuzino-Angelescu type) Stud. cercet. inframicrobiol., Bucur. 6 no.3-4:565-576 July-Dec. 1955.

(ANTIGENS AND ANTIBODIES

X antigen complex from rhinopharyngeal exudate tested by passive hemagglut. reaction)

(HEMAGGLUTINATION

test of X antigen complex from rhinopharyngeal exudate)

RUMANIA / General Problems of Pathology. Immunity. U

Abs Jour: Ref Zhur-Biol., No 9, 1958, 41851.

Author : Weinbach, R., Esanu, G.

Inst : Academy of RPR.

Title : Contribution To the Study of the Antigen Complex X in the Nasopharyngeal Exudate with the Aid of the Antigen-Antibody Reaction and Utilization of Erythrocytes. II) The Reaction of Passive Hemagglutination of the Cantacuzino-Angelescu Type.

Orig Pub: Studii si cercetari inframicrobiol si parzitol. Acad RPR, 1956, 7, No 3-4, 517-526.

Abstract: The study of the soluble antigen complex X discovered by the authors (ibid. 1955, 6, No 3-4,) was undertaken with the aid of the Cantacuzino-Angelescu type of hemagglutination reaction. This complex is associated not only with hemoly-

Card 1/2

RUMANIA / General Problems of Pathology. Immunity. U

Abs Jour: Ref Zhur-Biol., No 9, 1958, 41851.

Abstract: tic streptococci group A, but with other microbes isolated from the nasopharynx (Bacilli Friedlander and others) : it is different from the compounds C and M, erythrogenic toxin or streptolysin-O; when it is present in excess the reaction of passive hemagglutination does not take place etc.  
-- F. L. Bukh.

Card 2/2

1

ESANU, G.; BANC, S.; GAICU, N.; WEINBACH, R.; HAAS, H.; STAVRI, D.

~~\*\*\*\*\*~~  
A study on Leuconostoc strains isolated in the Rumanian People's  
Republic. Rumanian M. Rev. 1 no.2:25-26 Apr-June 57.

(FUNGI

Leuconostoc strains isolated in Rumania)

ESANU, I.; MARIAN, N.; STOICUTA, M.

Comments on the treatment by iontophoresis of certain diseases  
of the anterior pole. Rumanina med. rev. 7 no.3:83-86 Ja-Mar'64

\*



5(3)  
17(1)

RUM/2-60-3-28/36

AUTHOR: Eşanu, V.

TITLE: The Artificial Muscle ✓

PERIODICAL: Știință și Tehnică, Seria a II-a, 1960, Nr 3,  
pp 38-39

ABSTRACT: The article deals with the artificial muscle and compares the human muscles with the general principles of energy. The author refers to the chemical substance ATP and gives a short review of the chemical energy of this substance. The first model of a living muscle was developed by the Soviet researchers V.A. Engelhardt and M.N. Lyubimova in 1939. A model of an artificial muscle was developed recently by the Soviet Physical Chemist Kachialski. The latter suspended a polyacrylic acid thread on the arm of a dynamometer. The thread could expand or contract under the influence of bases and acids. ✓

Card 1/2

The Artificial Muscle

RUM/2-60-3-28/36

This experiment proved that the 1-cm polyacrylic thread can carry a weight of 100 kg. The Academician Straub showed that the reaction of combined actin and myosin under the influence of ATP is stronger than the reaction of myosin alone. Further reference is made to the Soviet scientists Kobrinskiy, Breydo, Furfinkel and others, who created a prosthesis controlled by biocurrents. There are 2 figures.

Card 2/2

RUMANIA/Human and Animal Physiology - Action of Physical  
Factors.

T-13

Abs Jour : Ref Zhur - Biol., No 7, 1958, 32364

Author : Esanu, V.

Inst :                     

Title : New Soviet Investigations in the Field of the Use of  
Ultrasound in Biochemistry.

Orig Pub : An. Rom.-Sov. Ser. biol., 1956, 10, No 1, 58-70.

Abstract : No abstract.

Card 1/1

- 180 -

ESANU, V.; NEGHULESCU, F.

Influence of the attack of the fungus Ustilago zaeae Beckm. on some physiological and biochemical processes in host plants. p. 303.

STUDII SI CERCETARI DE BIOLOGI. SERIA BIOLOGIE VEGETABLA. Bucuresti.  
Vol. 10, no. 3, 1958.

Monthly List of East European Accessions (EEAI) IC, Vol. 9, no. 1, January 1960.

Uncl.

ESANU, V., caretaker

Can plants defend themselves against diseases? It is Teh  
Buc 14 no.10:18-19 C '62.

ESANU, V.

The phosphatase and apyrase activity in the tobacco plants infected with mosaic virus. Rev biol 7 no.2:19,-200 '62.

1. Biologisches Institut "Tr. Savulescu," Sektion für Phytopathologie und Mikrobiologie.

ESANU, V.

Activating energy of the reaction of  $H_2O_2$  decomposition by catalase on the potato species sensitive and resistant to *Phytophthora infestans* fungus attack. Studii cerc biochimie 6 no.1:91-95 '63.

1. Institutul de biologie "Traian Savulescu" al Academiei R.P.R., Sectia de fitopatologie si microbiologie.

\*

SAVULESCU, Alice, acad.; ESANU, V.; CALIN, Neli; NEGULESCU, Florica; GROSSU, Maria; HURGHISIU, Teana

Morphologic, anatomic, physiological, and biochemic characteristics of some species of potatoes with different degrees of resistance to *Phytophthora infestans* (Mont.) de Bary fungus attack. Studii cerc biol s. bot 17 no.1:71-84 '64.

1. Laboratory of Phytopathology and Microbiology, "Traian Savulescu" Institute of Biology. Submitted August 5, 1964.



ROMANIA/Chemical Technology - Chemical Products and Their  
Application. Fats and Oils. Waxes. Soap.  
Detergents. Flotation Teagents.

II-25

Abs Jour : Ref Zhur - Khimiya, No 8, 1958, 26669

Author : Klang H., Esanu-Scheuerman Fanny

Inst : -

Title : Oxidation of Higher Paraffins to Alcohols.

Orig Pub : Rev. Chim., 1956, 7, No 8, 462-467

Abstract : Results of a direct oxidation of a number of different grades of paraffins containing up to 22 C-atoms. By oxidation in the presence of  $\text{KMnO}_4$  and  $\text{H}_3\text{PO}_3$  of 5 samples of paraffin ( $d_4^{20}$  0.8042,  $n_D^{20}$  1.4308, average molecular weight 363, aniline value 116) at 150-200° were obtained products having the hydroxyl values (HV) 88.9, 83.4, 72.4, 78.2, 72.0; after extraction with methanol, treatment with NaOH and extraction with ether, gasoline or methyl ethyl ketone, HV were, respectively 183.0, 194.0, 200.0, 171.0 and 181.0.

Card 1/1

COUNTRY : USSR  
 CATEGORY : Farm Animals. Poultry. Q  
 ABS. JOUR. : RZhBiol., No. 6, 1959, No. 25919  
 AUTHOR : Gochitashvili, K. I.; Esartiya, G. I.  
 INST. : Georgia Zootechnical Veterinary Institute.  
 TITLE : Experiments Pertaining to Supplementary Feeding Chicks with Hydrolized Rasa Krasnoyarskaya-9 Protein Yeasts.  
 ORIG. PUB. : V sb.: Materialy 13-y nauchn. konferentsii (Gruz. zootekhn. vet. in-t). Ch. 2. Tbilisi,\*  
 ABSTRACT : In the course of 40 days, 45-56 days old chicks were supplementarily fed yeast in a 3 g daily dose each, and at the age of 57-65 days with a 4 g dose, while chicks of the control group were each given 3 g of dry skim milk during both these time periods. Within this time the average weight gain in the experimental group amounted to 538 g, and in the control group to 529 g per chick. In another experiment, chicks 3-9 days old were supplementarily fed 0.3 g of yeast each, chicks 10-14 days old

Card: 1/2  
 \*1957, 22-26

COUNTRY : USSR  
CATEGORY :

ABS. JOUR. : RZhBiol., No. 1959, No.

AUTHOR :  
INST. :  
TITLE :

ORIG. PUB. :

ABSTRACT : were given 1.5 g, chicks 15-20 days old, 2 g, and chicks 21-30 days old, 3-4 g. In both experiments yeast was readily consumed, did not produce adverse effects and influenced growth, development and survival rate of the chicks favorably. In the experimental group the death rate amounted to 2 percent, in the control group to 6 percent. -- A. D. Musin

CARD: 2/2

ESAULENKO, L.; PAPAZIAN, L.

For a more rational use of starchy materials in lamb hide tanning.  
Pt. 1. *Godishnik khim tekhn* 9 no. 1:133-142 '62 [publ. '63].

ESAULENKO, L.; PESHEVA, M., inzh.; MIKHAILOVA, E., inzh.

Bark of *Solix viminalis* as raw material for obtaining  
tanning extracts. *Godishnik khim tekhn* 9 no.2:45-55 '62  
[publ. '63].

ESAULENKO, Leonid IA.

A new device for the determination of certain physicomachanical indexes of wool fibers. Tekstilna prom 11 no.1:23-26 '62.

1. Khimiko-tekhnicheski institut, Sofia.

ESAUHENKO, L.; KOVACHEV, N.

A way of determining sulfuric acid in pickle solutions while treating lamb and sheep hides by the bread-pickle method. Khim i industriia 36 no.4:133-136 '64.

ESAULOV, A.F.

The formation of vocational interests in older pupils. Uch.zap.  
Len.un. no.214:77-88 '56. (MLRA 10:3)  
(Vocational guidance)



ESAULOV, A.F., kandidat pedagogicheskikh nauk.

Studying the students in technical education. Politekh. obuch. no.9:  
7-10 S '57. (MLRA 10:9)

(Technical education) (Students)

ESAULOV, A.F. (Leningrad)

Role of industrial experience and theoretical knowledge in constructive technical activity. Vop. psikhol. 8 no.3:136-148  
My-Je '62. (MIRA 15:6)

(Technical education)

ESAULOV E. A.  
ESAULOV, E. A.

USSR / Cultivated Plants. Plants for Technical Use. 1  
Oil Plants. Sugar Plants.

Abs Jour : Ref Zhur - Biol., No 6, 1956, No 34733

Author : Esauslov, E. A.

Inst : Not given

Title : Results of Experimentations with Hybrids of the  
First Generation.

Orig Pub : Tabak, 1957, #2, 17-18

Abstract : Field experiments, conducted in 1956 in the Cri-  
mean Sovkhoz for Tobacco Cultivation with 53  
tobacco hybrids of the 1st generation, have shown  
that hybrids #1 Krymskiy (American 315 x Ostrolist  
2747), #2 Krumskiy (Ostrolist 2747 x American 315),  
#4 (Ostrolist 2747 x Trapezond 161), #16 (Hybrid  
A x Trapezond 1867) and Alashtinskiy #1, have  
optimal qualities according to the crop yield and  
the yield of raw material. -- Smirnov.

Card 1/1

ESAULOV, G.A.

Using sulfuric acid paste in tree tapping in Siberia. Gidroliz.  
1 lesokhim.prom. 10 no.4:22-23 '57. (MIRA 10:7)

1. Trest Zapsibkhiules.  
(Siberia--Tree tapping) (Sulfuric acid)

AKULINICHEV, I.T.; ANDREYEV, L.F.; BAYEVSKIY, R.M.; BAYKOV, A.Ye.; BUYLOV, G.G.  
GAZENKO, O.G.; GRYUNTAL', R.G.; ZAZYKIN, K.P.; KLIMENTOV, Yu.F.;  
MAKSIMOV, D.G.; MERKUSHKIN, Yu.G.; MONAKHOV, A.V.; PETROV, A.P.;  
RYABCHENKOV, A.D.; SAZONOV, N.P.; UTYAMYSHEV, R.I.; FREYDEL', V.R.;  
KHIL'KEVICH, B.G.; SHADRINTSEV, I.S.; SHEVANDINA, S.B.; ESAULOV,  
N.G.; YAZDOVSKIY, V.I.

Method and means of medical and biological studies in a space  
flight. Probl. kosm. biol. 3:130-144 '64. (MIRA 17:6)

*Esaulov, P.*  
USSR/General Division - History. Classics..Personalities.

A-2

Abs Jour : Ref Zhur - Biologiya, No 7, 10 April 1957, 25676

Author : Esaulov, P.

Inst :                     

Title : An Eminent Scientist and Expert on Stock-Raising.

Orig Pub : Kolkhoznoye proiz-vo, 1956, No 10, 32

Abst : No abstract.

Card 1/1

KORSHUNOV, A.A., gornyy inzh.; KRUGLOV, Ye.I., gornyy inzh.; ESAULOV, V.F.,  
gornyy inzh.

Use of some new forms of timbering at the "Zolotushinskii"  
mine. Gor. zhur. no.7:77-78 JI '65.

(MIRA 18:8)

1. Vsesoyuznyy nauchno-issledovatel'ski gornometallurgicheskiy  
institut tsvetnykh metallov (for Korshunov, Kruglov).
2. Zolotushinskiy polimetallicheskiy rudnik (for Esaulov).

ESAULOVA, I. N.: Master Biol Sci (diss) -- "The biology of blossoming and the mutual pollinability of the better types of pears from the collection of the Maykop Experimental Station VIR". Leningrad, 1958. 16 pp (All-Union Order of Lenin Acad of Agric Sci im V. I. Lenin, All-Union Inst of Plant Growing), 150 copies (KL, No 6, 1959, 131)



YEVDOKIMOVA, A.M.; ESAULOVA, V.A.; GANICH, M.M.

Nurses' councils. Med. sestra 20 no.4:59-62 Ap '61.

(MIRA 14:5)

1. Predsedatel' Soveta meditsinskikh sester Vologodskoy gorodskoy bol'nitsy (for Yevdokimova).
2. Predsedatel' Soveta meditsinskikh sester Kirovskoy psikhonevrologicheskoy bol'nitsy (for Esaulova).
3. Glavnyy vrach Mezhgorskoy rayonnoy bol'nitsy, Zakarpatskaya oblast' (for Ganich).

(VOLOGDA--NURSES AND NURSING)

(KIROV--NURSES AND NURSING)

(MEZHGOR DISTRICT (TRANSCARPATHIA)--NURSES AND NURSING)

USSR.

Sulfuric acid hydrolysis of  $\gamma$ -chloroacrylsulfonic acid and its chloride. G. T. Esayan and R. M. Ozanesyan. Izvest. Akad. Nauk Armyan. S.S.R., Ser. Fiz.-Mat., Estestven. i Tekh. Nauk 7, No. 2, 69-63 (in Russian) (Armenian summary, 63-4) (1964).—Letting 6 g.  $\text{MeCCl:CHCH}_2\text{SO}_3\text{Na}$  (I) stand in 10 ml. concd.  $\text{H}_2\text{SO}_4$  3 days gave much  $\text{HCl}$  evolution and a deposit of  $\text{Na}_2\text{SO}_4$ . After diln. of the soln. and neutralization with  $\text{K}_2\text{CO}_3$  (filtration), the evapd. soln. gave a residue, which after extra. with abs.  $\text{EtOH}$  (hot) gave 87.2%  $\text{MeCOCH}_2\text{CH}_2\text{SO}_3\text{K}$ , m. 178-200°; similarly was obtained 61.4%  $\text{Na}$  salt, m. 230°. If the neutralization is made with  $\text{Ba(OH)}_2$ , excess  $\text{Ba}$  removed with  $\text{CO}_2$ , and the soln. evapd., there is obtained 70.3%  $\text{Ba}$  salt,  $\text{C}_4\text{H}_5\text{O}_5\text{Ba}$ , m. 234-7°. None of the salts react with semicarbazide, but they do react with  $\text{NH}_4\text{OH}$ . From cooled soln. of 1 g. I and 1 g.  $\text{S-benzylisothiourea-HCl}$  in a little  $\text{H}_2\text{O}$  there was obtained a ppt. of 1.5 g. corresponding  $\text{S-benzylisothiourea}$  salt,  $\text{C}_{11}\text{H}_{11}\text{O}_5\text{N}_2\text{S}_2$ , m. 86-6° (from 60%  $\text{EtOH}$ ), also formed from the free acid. I treated with  $p$ -toluidine in concd.  $\text{HCl}$  gave  $\text{MeCCl:CHCH}_2\text{SO}_3\text{H} \cdot \text{MeC}_6\text{H}_4\text{NH}_2 \cdot p$  (from 60%  $\text{EtOH}$ );  $\text{MeCOCH}_2\text{CH}_2\text{SO}_3\text{H}$  under these conditions failed to form a salt, as was the case with isothiodrea derivs. Treatment of 10 g.  $\text{MeCCl:CHCH}_2\text{SO}_3\text{Cl}$  with 20 ml. concd.  $\text{H}_2\text{SO}_4$  gave much  $\text{HCl}$  and  $\text{SO}_2$  and after 2 days, the dild. soln. was distd. under reduced pressure, yielding 10 ml.  $\text{MeCOCH}_2\text{CH}_2\text{SO}_3\text{H}$  (semicarbazone, m. 141.5-2°). With 60% and 80%  $\text{H}_2\text{SO}_4$ , the hydrolysis is very slow and requires heating, which causes much tar formation. With 40% aq. almost no achile hydrolysis takes place.

G. M. Kosolapoff

ESAYAN, G.T.

Mechanism of hydrogenation of divinylacetylene. V. I. Isagulyants, G. T. Esayan, A. G. Terzyan, R. M. Oganessian, and N. M. Manasegyan. *Doklady Akad. Nauk S.S.S.R.* 94, 883-5(1954).—Hydrogenation of divinylacetylene was performed in EtOH, AcOH, or xylene at both elevated and atm. pressures over Raney Ni. The results indicate that the primary product is 2,4-hexadiene, which in turn yields 2- and 3-hexene, and finally n-hexane. The reaction was followed by treatment with maleic anhydride and by bromination of intermediates.

G. M. Kosolapoff

4

62

ESAYAN, L.; ESAYAN, M.

Chromatography of gases. Note. 1.

P. 447 (REVISTA DE CHIMIE) (Bucuresti, Rumania) Vol. 8, No. 7, July 1957

SO: Monthly Index of East European Accessions (EEAI) LC Vol. 7, No. 5. 1958

Country : Rumania  
 Category= : Analytical Chemistry - General  
 Abs. Jour. : Ref Zhur-Khimiya, No 6, 1959  
 Author : Esayan, L.; Gherman, M.; Stefan, V.; Istrate, E.  
 Institut. :  
 Title : Gas Chromatography. II. Analysis of a Mixture  
 of Acetylene, Vinyl Chloride and Air. Analysis  
 of Chlorine-Hydrogen Mixture.  
 Orig. Pub. : Rev. chim., 1958, 9, No 3, 125-128

E-1

19059

Abstract : A method has been worked out for separating a mixture of  $C_2H_2$  (I), vinyl chloride (II) and air, in a coil-shaped glass column, 1.6 m long and 5 mm in diameter, filled with aluminum silicate (particle size 0.4-0.5 mm) impregnated with dibutyl phthalate (in an amount of 20.6%). Catharometer readings are recorded by a photographic procedure similar to that used in polarography. Calibration curves for II are of linear shape, those for I are non-linear, being linear only for concentrations below 2%. Mean error of analysis about 1%. Mixtures of  $H_2$  and  $Cl_2$  are poorly separated in columns with silica-gel and charcoal, better -- in a column with a

Card: 1/2

E-6

Country : Rumania E-1  
Category : Analytical Chemistry - General  
Abs. Jour. : Ref Zhur-Khimiya, No 6, 1959 19059  
Author :  
Institut. :  
Title :  
  
Orig Pub. :  
  
Abstract : carrier impregnated with dibutyl phthalate.  
Sensitivity 0.5% H<sub>2</sub> in analysis of 5 cm<sup>3</sup> Cl<sub>2</sub>. Communication  
I see RZhKhim, 1958, 4022. -- B. Anvayer.

Card: 2/2

ESAYAN, L.

Theoretical and empirical bases for a rapid evaluation of the  
equipment used in the chemical industry. Rev khimie Min petr  
13 no.5:263-269 My '62.

ESAYAN, L.

Possibilities of applying fluidization in Rumania. Rev chirie Min  
petr 13 no.11:641-647 N '62.



~~SECRET~~

ACC NR: AP6020252

SOURCE CODE: RU/0003/65/016/11-/0566/0572

AUTHOR: Esayan, Maria

ORG: none

TITLE: Rapid determination of rectification columns by means of nomograms

SOURCE: Revista de chimie, v. 16, no. 11-12, 1965, 566-572

TOPIC TAGS: fractional distillation, chemistry

ABSTRACT: A collection of nomograms for the graphic solution of problems relating to rectification column calculations. Nomograms are given for the calculation of the number of discs and the number of separate refluxings required for continuous and discontinuous fractioning; calculations relating to discontinuous simple distillation; and the calculation of the required column diameter for both disc and filled columns. Orig. art. has: 10 figures. [JPRS]

SUB CODE: 07 / SUBM DATE: none / ORIG REF: 002 / OTH REF: 005

Card 1/1 JS

Rating of adsorption installations. Mariam Esayan and  
Cornelia Florea. *Rev. chim. (Bucharest)* 10, 177-84 (1965)  
(Russian summary).—A method is given for the rating of  
adsorption installations for which adsorption isotherms have  
been detd.  
Gory Gerard

*Chem*

*2.*

ESAYIN, M. R. 1958

Calculation of hypersorption columns. Mariana Esayan. *Rev. chim.* (Bucharest) 7, 198-205 (1958) (in Romanian) (Russian and German summaries).—The classical adsorption method for the sepn. of gas mixts., in which a limitation is introduced by the relative adsorption volatility of the components and their partial pressures, is superseded by the hypersorption method in which successive adsorptions take place. The gaseous phase in one adsorption comes in contact with the adsorbed phase in the following one. The adsorbed phase becomes richer in nonvolatile component, the gaseous phase in volatile component. This mechanism is thus similar to that of rectification and the essentially graphical method described in the paper is based on this analogy. It utilizes the equil. diagram of the system (binary and ternary). This cheap and convenient method is also applicable for even small concns. of one component.

Mircea Potino

2

ESAYAN, M.

RUMANIA/Chemical Technology. Chemical Products and Their  
Application. Part 3. - Industrial Organic  
Synthesis.

H

Abs Jour: Referat. Zhurnal Khimiya, No 21, 1958, 71635.

Author : Mariana Esayan, I. Ciolan.

Inst :

Title : Butadiene Preparation of Ethyl Alcohol in Fluidized  
Layer.

Orig Pub: Rev. chim., 1956, 7, No 1, 31-34.

Abstract: The first results of laboratory experiments of buta-  
diene (I) preparation by Lebedev's method from ethyl  
alcohol (II) in a mobile layer of a catalyst (C) are  
presented. The experiments were carried out on an  
installation with a reactor in the shape of a glass  
tube 24 mm in dia. in the bottom part filled with C

Card : 1/3

17

RUMANIA/Chemical Technology. Chemical Products and Their  
Application. Part 3. - Industrial Organic  
Synthesis.

H

Abs Jour: Referat. Zhurnal Khimiya, No 21, 1958, 71635.

and 45 mm in the top part serving for settling C particles carried off by the gas flow. II vapors were preliminarily heated to the reaction temperature and equally distributed in the C mass by passing through a porous glass plate, on which the layer of C was placed. The size of C grains was 75 to 100  $\mu$ . Parallel experiments were carried out with the same C in an immobile layer. The yield of I depends on the reaction temperature and reaches a maximum at 420°; at a contact duration of 3.8, 3.9 and 4 sec. and temperatures of 400, 420 and 440°, the yield of I was 67.5, 71.5 and 67% and

Card : 2/3

RUMANIA/Chemical Technology. Chemical Products and Their  
Application. Part 3. - Industrial Organic  
Synthesis.

H

Abs Jour: Referat. Zhurnal Khimiya, No 21, 1958, 71635.

the conversion degree was 23.2, 34.5 and 47% correspondingly. The author arrives at the conclusion that work with a mobile C layer produces better results, as far as the yield and the purity degree of I are concerned. Besides, local overheating causing C inactivity are eliminated by the C regeneration; the temperature remains uniform in the whole mass of C during the reaction. The introduction of C circulation guarantees the process continuity, maintains the maximum yield by continuously refreshing the C with the regenerated one, utilizes the heat liberated by C regeneration.

Card : 3/3

7  
V Chromatography of gases. 1. L. Esayan and Mariana  
Esayan. Rev. chim. (Bucharest) 8, 441-52 (1957). -- A re-  
view of the present chromatographic methods of gas analysis.  
Sepn. of  $C_2H_2$ ,  $H_2$ , and  $CH_4$  by adsorption on charcoal is  
described. R. D. Slagteranu

3

ESAYAN, Mariana

Rectification of partially miscible liquid mixtures. Rev chimie  
Min petr 14 no.5:266-273 My '63.



ESAYAN, Mariana

Use of models in chemical engineering. Rev Chimie Min petr  
16 no.1:4-9 Ja '65.

L 31859-66' IJP(c)

ACC NR: AP6021273

SOURCE CODE: RU/0003/65/016/001/0004/0009

AUTHOR: Esayan, Mariana--Esayyan, M.

ORG: none

TITLE: Utilization of models in chemical engineering

SOURCE: Revista de chimie, v. 16, no. 1, 1965, 4-9

TOPIC TAGS: chemical engineering, chemistry

ABSTRACT: The author discusses the transposition of chemical engineering processes to a different scale and the problems involved in the application of the similarity principle. Use of extrapolation is suggested to avoid some of the difficulties since it provides a more reliable scale representation than the classical similarity method, although it is theoretically inferior. Orig. art. has: 27 formulas and 1 table. [Based on author's Eng. abstract] [JPRS]

SUB CODE: 07 / SUBM DATE: none / ORIG REF: 002 / OTH REF: 001

Card 1/1 JS

UDC: 66.02.001.57.530.17

L 31443-66

ACC NR: AP6023172

SOURCE CODE: RU/0003/65/016/002/0070/0075

AUTHOR: Esayan, Mariana

ORG: none

TITLE: Scale transposition of mixing operations by means of stirring

SOURCE: Revista de chimie, v. 16, no. 2, 1965, 70-75

TOPIC TAGS: chemical engineering, chemistry

ABSTRACT: The author surveys the various and apparently contradictory aspects of the problem explored in the classical literature, and shows that extrapolation must be used in an interpretation of the stirring operation since the similitude principle does not strictly apply. The specific extrapolation rules for the different processes liable to occur in a system being stirred (heat and mass transfer, etc.) are elaborated, and the impossibility of deriving general scale-transposition equations is demonstrated. Orig. art. has: 5 figures, 23 formulas and 1 table. [Based on author's Eng. abst.] [JPRS]

SUB CODE: 07 / SUBM DATE: none / OTH REF: 004

Cord 1/1 JT

0915

1383

FILATOV, A.N., prof.; ESBERG, N.A.

New methods of using cadaveric blood. Vest.khir. no.10:39-45  
'61. (MIRA 14:10)

1. Iz Leningradskogo ordena Trudovogo Krasnogo Znameni nauchno-  
issledovatel'skogo instituta perelivaniya krovi (nauchnyy rukovod. --  
prof. A.N. Filatov). Adres avtorov: Leningrad, 2-ya Sovetskaya 16.  
Institut perelivaniya krovi.  
(BLOOD AS FOOD OR MEDICINE) (CADAVERS)

ESCHEND, L.

The continuity of regulation effect in water towers with spillway and diaphragm.  
p. 7. Khidrotekhnika i Melioratsii Vol. 3, No. 1, 1950. Sofia Bulgaria

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, No. 10,  
Oct. 58

~~ESCAND, L.~~

TECHNOLOGY

Periodical: KHIDROTEKHNIKA I MELIORATSII. Vol. 3, no. 5, 1958.

ESCAND, L. Hydraulic blow as a result of a sudden closing in a pipeline with alternating characteristics. p. 129.

Monthly List of East European Accession (EEAI), LC., Vol. 8, no. 2,  
February 1959, Unclass.

ESCANDE, L.

Remarks on balance chambers. In French and Polish. p. 319.

ARCHIWUM HYDROTECHNIKI. (Polska Akademia Nauk. Instytut Budownictwa Wodnego) Warszawa, Poland Vol. 5, no. 3, 1958.

Monthly list of East European Accessions Index (EEAI), LC, Vol. 8, no. 6,  
June 1959  
uncla.

Escande, L.

Study of flood-draining devices. p. 881.

Academia Republicii Populare Romine. STUDII SI CERCETARI DE MECANICA APLICATA.  
Bucuresti, Rumania. Vol. 9, no. 4, 1958.

Monthly List of East European Accessions (EEAL) LC Vol. 9, No. 2, January 1960.

Uncl.



ESCHENAZI, S.

"Application of I.P. Pavlov's teachings in institutions for infants, in day nurseries, and in children's homes." p. 19. (ANALELE ROMANO-SOVIETICE. SERIA PEDIATRIE, Series a III-a, Vol. 6, no. 6, Nov./Dec. 1953, Bucuresti, Rumania)

SO: Monthly List of East European Accessions, L. C., Vol. 3, no. 4, April 1954, Uncl.

CZECHOSLOVAKIA

ESCHLER, J., Prof. Dr.

1. Ward of Jaw Surgery and Orthopedics (Oddeleni pro celistni chirurgii a ortopedii); 2. University Dental and Jaw Clinic (Univerzitni zubni a celistni kliniky), Freiburg-Breisgau, Germany

Prague, Ceskoslovenska stomatologie, No 5, 1963, pp 310-316

"Myotomy of Masseters in Treatment of So-Called Arthropathia Deformans."

CASTAIGNE, F.; CAMBER, J.; ASSAULT, P.; MATH, M.; VITTEL, J.

Approach of cerebellar atrophy. Ann. Neurol. 1985;18:1-11  
Ja 1985.

1. Klinika nemocí nervové soustavy lékařské fakulty Univerzity v  
Praze (prednáská prof. dr. F. Castaigne) a Neurologická klinika  
fakulty všeobecného lékařství Karlovyho Univerzity v Praze (pre-  
náská akademik K. Benner).

MANOLESCU, D., Prof; CUVIN, Elena; ESEANU, I.; MINCU, Emilia

Investigations on the influence of air temperature oscillations  
on glaucoma patients (preliminary note). Rumanian M. Rev. 4  
no. 1:81-84 Ja-Mr '60.

(GLAUCOMA physiol.)

(DIENCEPHALON physiol.)

(TEMPERATURE)

ESEL'SON, I., zasluzhennyy trener RSFSR

At the "deer" and the "roe". Voen. znan. 41 no.1:38-39  
Ja '65. (MIRA 18:2)

ESEL'SON, IOSIF MIKHAYLOVICH

Epp.  
.R92884

STRELKOVYY SPORT (RIFLE SHOOTING, BY) I. M. ESEL'SON (I) B. A. KREYTSEK.  
MOSKVA, GOSKUL'TPROSVETIZDAT, 1956.

26 p. ILLUS.

AT HEAD OF TITLE: RUSSIA (RSFSR) KOMITET PO FIZICHESKCY KUL'TURE I  
SPORTU.

ESSEL'SON, I., master sporta.

~~Source: 1956-1957~~  
Target practice on a "running deer." Voen.znan. 31 [i.e. 32] no.4:  
21-22 Ap '56. (MLRA 9:8)

(Target practice)

ESELI'SON, I.

ESELI'SON, I., Western sports.

and The work of a trainer. Voen. znan. 33 no. 4:22-28 Apr 57.  
(Shooting) (XLR 10:6)



ESELSOHN, I., master sports.

Markman's tactics in contests. Voen.znan. 33 no.6:29 Ja '57.  
(Shooting contests) (HLRA 10:8)

*ESL'SON*

ZHGUTOV, O., zasluzhenny master sporta; ESL'SON, I., master sporta.

Societ marksmanship. Voen.znan. 33 no.10:28-29 O '57. (MIRA 10:11)  
(Shooting)

ESEL'SON, I., master sports

~~Talented sportsman.~~ Voenn. znaniye no. 5:29-30 May '58. (MIRA 11:7)  
(Shooting)

ESSEL'SON, I., master sports

Firing on "running deer" targets. Voen. znan. 35 no.8:22 Ag '59.  
(MIRA 12:12)

(Targets)

ESEL'SON, I., master sporta.

~~Self~~-correction is an important element in target practice.  
Voen. znan. 35 no.11:31-32 N '59. (MIRA 12:12)  
(Rifle practice)

ESELSON, L. M.  
ESEL'SON, L. M.

"Present and Possible Future Development and Improvement of Radiometric Instruments Used in the Petroleum Industry," Utilization of Radioactive Isotopes & Emanations in the Petroleum Industry (Symposium), Min. Petroleum Industry USSR, 1957.

Results of the Joint Session of the Technical Council of Min of the Petroleum Industry USSR and Soviet Sci and Technical Association, Moscow 14-19 Mar 1956.

*ESSEL'SON M.P.*  
MAL'NEV, A.F.; ESEL'SON, M.P.; KREMENCHUGSKIY, L.S.

Basic principles of recording spectra on infrared spectrophotometers;  
review. Prib. i tekhn. eksp. no.1:3-16 Ja-F '58. (MIRA 11:4)

1. Institut fiziki AN USSR.  
(Spectrophotometer) (Spectrum, Infrared)

ESENALIYEV, S.

Deformations of temporary irrigation canals in the piedmont  
zone of the Chu Valley and measures for their elimination.

Trudy Inst. vod. khoz. i energ. AN Kir. SSR no.6:31-42 '59.

(MIRA 15:5)

(Chu Valley--Irrigation canals and flumes)



ESENALIYEV, Suynal; KABAKOV, M.M., otv. red.; SKRIPKINA, Z.I.,  
red.izd-va; POPOVA, M.G., tekhn. red.

[Measures for preventing washout within the irrigation  
system of a farm] Meropriiatiia po predotyrazhcheniiu raz-  
myva vnutrikhoziaistvennoi orositel'noi seti. Frunze, Izd-  
vo Akad. nauk Kirgizskoi SSR, 1962. 67 p. (MIRA 16:3)  
(Erosion) (Irrigation)

ESENALIYEV, S.

Determining hydraulic elements of a flow by the empirical  
relation of the average speed of a current in small channels.  
Izv. AN Kir. SSR. Ser. est. i tekhn. nauk 4 no.5:85-90 '62.  
(MIRA 16:4)

(Hydraulics)

ESENBAEV, K.

Some data on the soils of Ortosyrt in the inner Tien Shan. Izv.  
AN Kir.SSR. Ser. biol. nauk 2 no.2:49-62 '60. (MIRA 13:7)  
(ORTOSYRT-SOILS)

OPENLENDER, Igor' Vladimirovich; ESENBAEV, Kambaraly; YUSUPOV, Tulegen;  
ROYCHENKO, G.I., otv. red.; VOZMEYKO, I.V., red. izd-va; ANOKHINA,  
M.G., tekhn. red.

[Soils of the central part of the Naryn Basin (At-Bashi-Kara-Koyun,  
Ala-Buga-Naryn, and Toguz-Torou depressions)] Pochvy srednei chasti  
Narynskogo basseina (At-Bashi-Kara-Koiunskaiia, Ala-Buga-Narynskaia  
i Toguz-Torouaskaia vpadiny). Frunze, Izd-vo Akad.nauk Kirgizskoi  
SSR, 1961. 226 p. (MIRA 14:12)

1. Akademiya nauk Kirgizskoy SSR, Frunze. Otdel pochvovedeniya.  
(Naryn Valley--Soils)

*Chem*  
Dunite in inert gas deoxygenation. R. E. Rosenberg.  
*Rhim. Prom.* 1956, 241-5. Dunite, a ~~peridotite~~ rock, is  
widely distributed in the Ural Mountains and is the same  
as granite. Its catalytic activity in promoting a combina-  
tion of the O in the gas with some H added is attributed to  
Fe, Ni, Cr, and some other oxides, and to traces of Pt, Ir,  
and Os present. The dunite catalytic activity begins at  
400°, reaches a max. at 500°, and does not change with  
time. W. M. Sternberg

*MTY*  
*LTH*

*300*  
*10m*

Eisenberling K.E.

Bracing copper in a nitrogen atmosphere. K. Eisenberlin.  
/about Malinuroemia 14, No. 2, 56-7 (1936).—it em-  
brittlement was fully prevented and good joints were  
obtained by bracing Cu at 750-800° in N purified by passing  
through Cu turnings held at 450° and dried with silica gel  
and P<sub>2</sub>O<sub>5</sub>. J. D. Cat

①

of

ESENBERLIN, Ravnak Yesenberlinovich; ZAKS, I.A., inzh., retsenzent;  
RYZHIK, Z.M., inzh., red.; DENINA, I.A., red. izd-va;  
BARDINA, A.A., tekhn. red.

[Brazing metals in furnaces with a gaseous atmosphere] Paika  
metallov v pechakh s gazovoi sredoi. Izd.2., dop. i perer.  
Moskva, Mashgiz, 1962. 127 p. (MIRA 15:9)  
(Brazing) (Protective atmospheres)

ESENOV, A.

Complex geographical regionalization of Turkmenia for purposes  
of the construction of cities. Izv. AN Turk.SSR. Ser. fiz.-  
tekh., khim. i geol. nauk no.2:64-69 '63. (MIRA 17:8)

1. Institut seysmostoykogo stroitel'stva AN Turkmen'skoy SSR.



ESENOV, A., arkhitektor

Landscaping and irrigating microdistricts of cities in Turkmenistan.  
Zhil. stroi. no.11:22-23 '64 (MIRA 18:2)

ESENOV, D., inzh.

Construction of Kara Kum Canal in sandy soils by the use of a  
water stream. Gidr. i mel. 13 no.2:47-50 F '61. (MIRA 14:9)  
(Kara Kum Canal--Hydraulic engineering)

ESENOV, D., inzh.

Working sandy soils in construction of the Kara Kum Canal.

Mekh.stroi. 19 no.11:3-5 N '62.

(MIRA 15:11)

(Kara Kum Canal--Earthwork)

ESENOV, D., inzh.

Effective methods of digging canals in sandy soils. Mekh. stroi.  
20 no.9:26-28 S '63. (MIRA 16:10)

(Canals)

AGALAROVA, D.A.; ESENOV, M.E.

Paleogene microfauna at Kyuren-Dag. Izv. AN Turk. SSR no.1:18-22 '55;  
(MLBA 9:5)

1. Institut geologii AN Turkmeneskoy SSR.  
(Kyuren-Dag--Paleontology)

ESREOV, M.E.

New data on petroleum and gas resources of the Keymir-Gasankuli region. Izv. AN Turk. SSR no.3:16-20 '58. (MIRA 11:9)

1. Institut geologii AN Turkmenskoy SSR.  
(Turkmenistan--Petroleum geology)  
(Turkmenistan--Gas, Natural--Geology)

ESEN OV, M. <sup>E</sup>.

Trends in geological prospecting for oil and gas in central  
and eastern districts of Turkmenistan. Izv. AN Turk. SSR no.5:  
3-11 '58. (MIRA 11:12)

1. Institut geologii AN Turkmenskoy SSR.  
(Turkmenistan--Petroleum geology)

ESENOV, M. E.; KHANOV, S.; TEGELEKOV, K.; BEKMURAIKOV, N.

"Geology and oil-and-gas deposits of Southwest Turkmenistan."

report submitted for 22nd Sess, Intl Geological Cong, New Delhi, 14-22 Dec  
1964.



ESENOV, N.E.

Complication in intestinal amebiasis. Zdrav.Turk. 6 no.4:35-36  
Jl-Ag '62. (MIRA 15:8)

1. Iz kafedry infektsionnykh bolezney (zav. - dotsent A.S.Medvedev)  
Turkmenskogo gosudarstvennogo meditsinskogo instituta.  
(AMEBIASIS)

TARAN, N.N.; ESENOV, O.

Reclamation of Solonchak soils in the Chardzhou Oasis.

Izv. AN Turk. SSR. Ser. biol. nauk no.1:67-70 '64.

(MIRA 17:9)

1. Chardzhouskaya sel'skokhozyaystvennaya opytная stantsiya.

PREYSMAN, A.B., professor; ESSENOVA, Ogul'bostan (Ashkabad)

Some characteristics of psychoprophylactic preparation for labor in  
Turkmenistan. Akush. i gin. 32 no.3:66-69 My-Je '56. (MIRA 9:9)

(LABOR,

painless, psychoprophylactic method (Rus))

USSR / Cultivated Plants. Commercial. Oil-Bearing. M-5  
Sugar Bearing.

Abs Jour: Ref Zhur-Biol., No 6, 1958, 25127

Author : ~~Eshonov, M.~~  
Inst : Tashkent Agricultural Institute  
Title : The Placement of Cotton Plants in Holes in Square-  
Pocket Planting.

Orig Pub: Khlopkovodstvo, 1956, No 4, 21-24

Abstract: It has been established on the basis of field tests made in 1954-1956 at the training farm of the Tashkent Agricultural Institute that with both square and rectangular pocket planting of cotton the shoots are thinned leaving the rest of the plants in the shape of a long drawn out one-strip bunch. When using the scheme where the plants are placed 60 x 45 cm. - 3.60 x 60 cm. - 4 and 50 x 50 -

Card 1/2

109